



MORDIFORD C of E PRIMARY SCHOOL

Treasure each individual

NURTURE


INSPIRE

FLOURISH


Mathematical Calculations Progression.

Regrouping to make 10; using ten frames and counters/cubes or using Numicon.

6 + 5



Children to draw the ten frame and counters/cubes.



Children to develop an understanding of equality e.g.


$$6 + \square = 11$$

$$6 + 5 = 5 + \square$$


$$6 + 5 = \square + 4$$

TO + O using base 10. Continue to develop understanding of partitioning and place value.

41 + 8




Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.



41 + 8

$$1 + 8 = 9$$


$$40 + 9 = 49$$




	4	1
+		8
<hr/>		
	4	9

TO + TO using base 10. Continue to develop understanding of partitioning and place value.

36 + 25



Children to represent the base 10 in a place value chart.



Looking for ways to make 10.

$$36 + 25 =$$


30 + 20 = 50
5 + 5 = 10
50 + 10 + 1 = 61

1 5 36


Formal method:

$$\begin{array}{r} +25 \\ 36 \\ \hline 61 \\ 1 \end{array}$$

Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.



Children to represent the counters in a place value chart, circling when they make an exchange.




243

+368

611

1 1

Conceptual variation; different ways to ask children to solve 21 + 34



?	
21	34

Word problems:

In year 3, there are 21 children and in year 4, there are 34 children. How many children in total?

21 + 34 = 55. Prove it

21

+34

21 + 34 =

= 21 + 34

Calculate the sum of twenty-one and thirty-four.









Missing digit problems:

10s	1s
2	1
3	?
?	5


Calculation policy: Subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.


Concrete	Pictorial	Abstract
<p>Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p>$4 - 3 = 1$</p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p>$4 - 3 =$</p> <p>$\square = 4 - 3$</p> 
<p>Counting back (using number lines or number tracks) children start with 6 and count back 2.</p> <p>$6 - 2 = 4$</p> 	<p>Children to represent what they see pictorially e.g.</p> 	<p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p> 

Finding the difference (using cubes, Numicon or Cuisenaire rods, other objects can also be used).

Calculate the difference between 8 and 5.



Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.




Find the difference between 8 and 5.

8 - 5, the difference is

Children to explore why
 $9 - 6 = 8 - 5 = 7 - 4$ have the same difference.

Making 10 using ten frames.

14 - 5



Children to present the ten frame pictorially and discuss what they did to make 10.



Children to show how they can make 10 by partitioning the subtrahend.

$$14 - 5 = 9$$


$$\begin{array}{c} 4 \quad 1 \end{array}$$

$$14 - 4 = 10$$


$$10 - 1 = 9$$

Column method using base 10.

48-7




Children to represent the base 10 pictorially.




Column method or children could count back 7.

	4	8
-		7
	4	1

Column method using base 10 and having to exchange.
41 - 26




Represent the base 10 pictorially, remembering to show the exchange.




Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because $41 = 30 + 11$.

$$\begin{array}{r} 3 \cancel{4} 1 \\ - 26 \\ \hline 15 \end{array}$$

Column method using place value counters.
234 - 88




Represent the place value counters pictorially; remembering to show what has been exchanged.



Formal column method. Children must understand what has happened when they have crossed out digits.

$$\begin{array}{r} 2 \overset{2}{\cancel{3}} 4 \\ - 88 \\ \hline 156 \end{array}$$

Conceptual variation; different ways to ask children to solve $391 - 186$



391	
186	?

Raj spent £391, Timmy spent £186.
How much more did Raj spend?

Calculate the difference between 391 and 186.

$$\square = 391 - 186$$

$$\begin{array}{r} 391 \\ - 186 \\ \hline \end{array}$$






What is 186 less than 391?

Missing digit calculations


$$\begin{array}{r} 39\square \\ - \square\square 6 \\ \hline \square 05 \end{array}$$

Calculation policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.


Concrete	Pictorial	Abstract
<p>Repeated grouping/repeated addition 3×4 $4 + 4 + 4$ There are 3 equal groups, with 4 in each group.</p> 	<p>Children to represent the practical resources in a picture and use a bar model.</p> 	<p>$3 \times 4 = 12$ $4 + 4 + 4 = 12$</p>
<p>Number lines to show repeated groups- 3×4</p>  <p>Cuisenaire rods can be used too.</p>	<p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four.</p> <p>$3 \times 4 = 12$</p> 

Use arrays to illustrate commutativity counters and other objects can also be used.
 $2 \times 5 = 5 \times 2$



2 lots of 5 5 lots of 2

Children to represent the arrays pictorially.



Children to be able to use an array to write a range of calculations e.g.


$$10 = 2 \times 5$$

$$5 \times 2 = 10$$


$$2 + 2 + 2 + 2 + 2 = 10$$

$$10 = 5 + 5$$

Partition to multiply using Numicon, base 10 or Cuisenaire rods.
 4×15



Children to represent the concrete manipulatives pictorially.



Children to be encouraged to show the steps they have taken.

$$4 \times 15$$


$$\begin{array}{l} 10 \quad 5 \\ \hline 10 \quad 5 \end{array}$$

$$10 \times 4 = 40$$

$$5 \times 4 = 20$$

$$40 + 20 = 60$$


A number line can also be used



Formal column method with place value counters (base 10 can also be used.) 3×23

10s	1s
6	9

Children to represent the counters pictorially.



Children to record what it is they are doing to show understanding.

$$3 \times 23$$

$$\begin{array}{l} 20 \quad 3 \\ \hline 20 \quad 3 \end{array}$$

$$3 \times 20 = 60$$



$$3 \times 3 = 9$$

$$60 + 9 = 69$$


$$\begin{array}{r} 23 \\ \times 3 \\ \hline 69 \end{array}$$

Formal column method with place value counters.

$$6 \times 23$$



Children to represent the counters/base 10, pictorially e.g. the image below.



Formal written method

$$\begin{array}{r} 6 \times 23 = \\ 23 \\ \times 6 \\ \hline 138 \\ \hline 11 \end{array}$$

When children start to multiply $3d \times 3d$ and $4d \times 2d$ etc., they should be confident with the abstract:

To get 744 children have solved 6×124 .

To get 2480 they have solved 20×124 .

$$\begin{array}{r} 124 \\ \times 26 \\ \hline 744 \\ 2480 \\ \hline 3224 \\ 11 \end{array}$$

Answer: 3224

Conceptual variation; different ways to ask children to solve 6×23

23	23	23	23	23	23
----	----	----	----	----	----

?

Mai had to swim 23 lengths, 6 times a week.

How many lengths did she swim in one week?

With the counters, prove that $6 \times 23 = 138$

Find the product of 6 and 23


$$6 \times 23 =$$

$$\square = 6 \times 23$$

$$\begin{array}{r} 6 \quad 23 \\ \times 23 \quad \times 6 \\ \hline \quad \quad \end{array}$$







What is the calculation?

What is the product?



Calculation policy: Division

Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract
<p>Sharing using a range of objects. $6 \div 2$</p>  <p>The diagram shows two green ovals, each containing three yellow diamonds. Below this, six red Cuisenaire rods are arranged in a row. Two lines connect the first and second rods to a single vertical rod below, and another two lines connect the third and fourth rods to another vertical rod below, illustrating the division of 6 rods into 2 groups of 3.</p>	<p>Represent the sharing pictorially.</p>  <p>The image shows two hand-drawn circles, each containing three dots. Below them is a hand-drawn rectangle divided into two equal halves, each containing three dots. A bracket under the first half is labeled with a question mark, representing the problem of dividing 6 objects into 2 equal groups.</p>	<p>$6 \div 2 = 3$</p>  <p>Children should also be encouraged to use their 2 times tables facts.</p>
<p>Repeated subtraction using Cuisenaire rods above a ruler. $6 \div 2$</p>  <p>The diagram shows a ruler from 0 to 10. Three light blue Cuisenaire rods are placed above the ruler, each spanning from 0 to 2. Above each rod is an arch labeled '-2'. Below the ruler, the text reads '3 groups of 2'.</p>	<p>Children to represent repeated subtraction pictorially.</p>  <p>The image shows a hand-drawn number line from 0 to 6 with circles at each integer. Three arches are drawn above the line, each labeled '-2'. The arches span from 0 to 2, 2 to 4, and 4 to 6.</p>	<p>Abstract number line to represent the equal groups that have been subtracted.</p>  <p>The diagram shows a number line from 0 to 6. Three arches are drawn above the line, each labeled '-2'. The arches span from 0 to 2, 2 to 4, and 4 to 6. Below the line, the text reads '3 groups'.</p>

2d + 1d with remainders using lollipop sticks. Cuisenaire rods, above a ruler can also be used.


$13 \div 4$

Use of lollipop sticks to form wholes- squares are made because we are dividing by 4.



There are 3 whole squares, with 1 left over.

Children to represent the lollipop sticks pictorially.




There are 3 whole squares, with 1 left over.

$13 \div 4 = 3 \text{ remainder } 1$


Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.

'3 groups of 4, with 1 left over'




Sharing using place value counters.

$42 \div 3 = 14$




Children to represent the place value counters pictorially.



Children to be able to make sense of the place value counters and write calculations to show the process.


$42 \div 3$
 $42 = 30 + 12$
 $30 \div 3 = 10$
 $12 \div 3 = 4$
 $10 + 4 = 14$

Short division using place value counters to group.
 $615 \div 5$



1. Make 615 with place value counters.
2. How many groups of 5 hundreds can you make with 6 hundred counters?
3. Exchange 1 hundred for 10 tens.
4. How many groups of 5 tens can you make with 11 ten counters?
5. Exchange 1 ten for 10 ones.
6. How many groups of 5 ones can you make with 15 ones?

Represent the place value counters pictorially.




Children to the calculation using the short division scaffold.

$$5 \overline{) 615} \begin{matrix} 123 \\ \underline{5} \\ 11 \\ \underline{10} \\ 15 \\ \underline{15} \\ 0 \end{matrix}$$

Long division using place value counters
 $2544 \div 12$




We can't group 2 thousands into groups of 12 so will exchange them.




We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$12 \overline{) 2544} \begin{matrix} 212 \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{matrix}$$



After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r} 021 \\ 12 \overline{)2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2 \end{array}$$




After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

$$\begin{array}{r} 0212 \\ 12 \overline{)2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{array}$$

Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

$$5 \overline{)615}$$

$$615 \div 5 =$$

$$\square = 615 \div 5$$

What is the calculation?
What is the answer?

